

Licence No. 7444 to mark a commodity with the Standards Mark

The Standards Institution of Israel (SII), in accordance with the powers vested in it by article 11(b) of the Standards law 1953, hereby grants permission to:

NETAFIM LTD

Negev mobile post office ,Hatzerim ,Israel

Test Methods Agricultural Irrigation Equipment-Emitters And Emitting Pipe-Specification And to place the Standards Mark on the commodities covered by the standard:

(list of types attached)

These commodities are produced in conformity with the requirements of the Israel Standard No. 1642 Edition May 2005

imposed by law on the abovementioned commodities License Committee has determined, which constitute an integral part of this license. This license does not detract from any obligation, or other order, This license has been granted subject to the terms of the Standards Regulation (standard mark and supervision sign) 1982, and the terms that the

This certificate remains the property of SII. Its continued validity may be verified via scanning the barcode or via the SII website www.sii.org.il

This license is valid until 31/12/2019

Date of License: 01/01/2019



Acting Director General



Annex A: License No. 7444

Factory: NETAFIM LTD

Pipe-Specification And Test Methods Commodities: Agricultural Irrigation Equipment- Emitters And Emitting

Models:

- 3 TIRAN. 17 MM FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.8, 0.9, 1.0 MM TIRAN. 16 MM FLOWRATE: 1.05, 1.5, 1.6, 2.0, 2.1, 4.0, 4.2, 8.0, 8.4 L/H WALL THICKNESS: 1.2 MM TIRAN. 16 MM FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.8, 0.9, 1.0 MM
- TIRAN. 17 MM FLOWRATE: 1.05, 1.6, 2.0,2.1,4.0,4.2,8.0, 8.4 L/H WALL THICKNESS: 1.2 MM
- 6 5 TIRAN. 20 MM FLOWRATE: 1.05, 1.5, 1.6, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 1.0 MM
- 7 TIRAN. 20 MM FLOWRATE: 1.05, 1.6, 2.0, 2.1, 4.0, 4.2, 8.0, 8.4 L/H WALL THICKNESS: 1.2 MM
- UNIRAM, UNIBIOLINE, UNITECHLINE 20 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL
- 00 THICKNESS: 1.0, 1.2 MM UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 20 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL
- 9. UNIRAM, UNIBIOLINE, UNITECHLINE 17 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALI THICKNESS: 1.0, 1.2 MM
- 10. UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 17 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 1.0, 1.2 MM
- 11 UNIRAM, UNIBIOLINE, UNITECHLINE 16 MM FLOWRATES: 0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 1.0, 1.2 MM
- 12 UNIRAM, UNIBIOLINE, UNITECHLINE, CNL 16 MM FLOWRATES:0.7, 1.0, 1.6, 2.3, 3.5 L/H WALL
- 13. DRIPNET PC. 12 MM FLOWRAATE: 1.0 L/H

This license is valid until 31/12/2019

Date of License: 01/01/2019



Ilan Carmit Acting Director General

The Standards Institution of Israel
42 Haim Levanon St. Tel-Aviv



Annex A: License No. 7444

Factory: NETAFIM LTD

Pipe-Specification And Test Methods Commodities: Agricultural Irrigation Equipment- Emitters And Emitting

- 14. DRIPNET PC. 16 MM FLOWRAATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.31, 0.38, 0.63,
- 15 DRIPNET PC 17 MM FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.90, 1.0 MM
- 17. 16. DRIPNET PC 22 MM FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.31, 0.38, 0.63 DRIPNET PC 20 MM FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.90, 1.0 MM
- 18. DRIPNET PC 2.3 MM FLOWRATE: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.90 MM
- 19. 20 MM FLOW 2.0 L/H PIPE DIAMETERS OF 16,17& 20 MM FLOW 2.9 L/H PIPE DIAMETERS OF UNIRAM CNL PIPE DIAMETERS OF 16,17& 20 MM FLOW 1.25 L/H PIPE DIAMETERS OF 16,17&
- TECHLINE CV 16 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM. 16,17& 20 MM FLOW 4.4 L/H
- TECHLINE CV 17 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
- 21 22 23 24 25 26 27 28 29 BIOLINE AS 16 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM. TECHLINE CV 20 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.

 - BIOLINE AS 20 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM. BIOLINE AS 17 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - TECHNET 16 MM. FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM.
 - DRIPWINE 16 MM. FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM
- UNIWINE 16 MM. FLOWRATES: 1.0, 1.6, 2.3, 3.5 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM DRIPWINE 20 MM. FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM DRIPWINE 17 MM. FLOWRATES: 0.6, 1.0, 1.6, 2.0, 3.0, 4.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM

This license is valid until 31/12/2019

Date of License: 01/01/2019



Acting Director General Ilan Carmit

The Standards Institution of Israe 42 Haim Levanon St. Tel-Aviv

Page 3 of 4



Annex A: License No. 7444 Factory: NETAFIM LTD

Pipe-Specification And Test Methods Commodities: Agricultural Irrigation Equipment- Emitters And Emitting

ACH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H	ACH LINE X 20 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H	APELINE 16 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WA	ARIES 16 MM. FLOWRATES: 2.0 L/H	ARIES 16 MM. FLOWRATES: 3.0 L/H	ARIES 16 MM. FLOWRATES: 1.0 L/H		ARIES 16 MM. FLOWRATES: 4.0 L/H
	LEACH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM	VM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9 VM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9	MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9. L/H WALL THICKNESS: 0.9, 1.0 FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0	MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9	MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9 I. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0 DWRATES: 2.0 L/H OWRATES: 3.0 L/H	MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9 I. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0 DWRATES: 2.0 L/H DWRATES: 3.0 L/H DWRATES: 3.0 L/H	MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9 . FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.1 DWRATES: 2.0 L/H DWRATES: 3.0 L/H WRATES: 1.0 L/H WRATES: 4.0 L/H
	CH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9,	CH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, CH LINE X 20 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9,	ACH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, ACH LINE X 20 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, APELINE 16 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0	CH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0 LINE X 20 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0 LINE 16 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0 ES 16 MM. FLOWRATES: 2.0 L/H	CH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, CH LINE X 20 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, PELINE 16 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0 ES 16 MM. FLOWRATES: 2.0 L/H ES 16 MM. FLOWRATES: 3.0 L/H	LEACH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM. LEACH LINE X 20 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM. SCAPELINE 16 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0, 1.2 MM. ARIES 16 MM. FLOWRATES: 2.0 L/H ARIES 16 MM. FLOWRATES: 3.0 L/H ARIES 16 MM. FLOWRATES: 3.0 L/H	CH LINE X 17 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, ACH LINE X 20 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, APELINE 16 MM. FLOWRATES: 1.0, 1.5, 2.0, 4.0, 8.0 L/H WALL THICKNESS: 0.9, 1.0 ES 16 MM. FLOWRATES: 2.0 L/H ES 16 MM. FLOWRATES: 3.0 L/H ES 16 MM. FLOWRATES: 1.0 L/H ES 16 MM. FLOWRATES: 1.0 L/H ES 16 MM. FLOWRATES: 1.0 L/H

This license is valid until 31/12/2019

OUT

Date of License: 01/01/2019



llan Carmit Acting Director General