



Q-FLEX™

UNIQUE KINK RESISTANCE FLEXIBLE RISER



APPLICATIONS

INNOVATIVE & FLEXIBLE SOLUTION TO CONNECT DRIPPERLINES TO SUB MAINS

- Q-Flex™ is Netafim's innovative and unique solution for dripperline riser take-offs.
- Suits both Surface and Sub-Surface applications.

BENEFITS AND FEATURES

- Saves labor, simplifies and shortens the installation process.
- Prevent local pressure losses or flow restriction, kink-resistant.
- Verstaile pre assembled options for Thin wall, Medium wall and Heavy wall dripperlines.
- Configurable for diverse connectors options, customizable for connecting dripperlines to grommet take-offs or threaded connections in sub mains.

SPECIFICATIONS

- Kink-resistant corrugated profile.
- Made from UV resistance corrugated Polypropylene.
- Maximum pressure: 4 bar (0-40°C).
- Elongation <3% at 4 bar.
- Minimum kink radius (with buckling): 45 mm.


PACKAGING DATA

PIPE LENGTH (M)	QUANTITY P/BOX UNITS	BOX DIMENSIONS (CM X CM X CM)	BOX WEIGHT (KG)	BOXES P/PALLET UNITS
0.60	200	130.0 X 28.5 X 28.0	16.9	96
1.00	100		12.3	96
1.20	100		13.7	96
1.50	100	190.0 X 28.5 X 28.0	17.4	72
1.80	100		19.6	72

Q-FLEX™ COMPLEMENTARY PRODUCTS

PRODUCT DESCRIPTION	CATALOG NUMBER	ILLUSTRATION
ELBOW 1/2" FTH - 1/2" MTH W SELF SEAL	76200-012500	
COUPLUNG 20*20 (to repair corrugated pipe)	75000-001010	


Q-FLEX™ HEAD LOSS, 1.0 METER LENGTH



Q-FLEX™

Flowchart to determine the desired product definition

How to use: To determine the desired product definition select one of every set of options displayed on the chart.



Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M IC0.5MTH OCFR22	32010-002500			
QFLEX 1.00M IC0.5MTH OCFR22	32010-002501			
QFLEX 1.20M IC0.5MTH OCFR22	32010-002502			
QFLEX 1.50M IC0.5MTH OCFR22	32010-002503			
QFLEX 1.80M IC0.5MTH OCFR22	32010-002504	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Fast ring 22 w/ring
QFLEX 0.60M IC0.5MTH OCTL22	32010-002520			
QFLEX 1.00M IC0.5MTH OCTL22	32010-002521			
QFLEX 1.20M IC0.5MTH OCTL22	32010-002522			
QFLEX 1.50M IC0.5MTH OCTL22	32010-002523			
QFLEX 1.80M IC0.5MTH OCTL22	32010-002524	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Twist lock 22
QFLEX 0.60M IC0.5MTH OCWITI	32010-002540			
QFLEX 1.00M IC0.5MTH OCWITI	32010-002541			
QFLEX 1.20M IC0.5MTH OCWITI	32010-002542			
QFLEX 1.50M IC0.5MTH OCWITI	32010-002543			
QFLEX 1.80M IC0.5MTH OCWITI	32010-002544	Male threaded connector 1/2"	Corrugated pipe + 1 assembled sleeve	Wire tie
QFLEX 0.60M IC0.75MTH OCFR22	32010-002560			
QFLEX 1.00M IC0.75MTH OCFR22	32010-002561			
QFLEX 1.20M IC0.75MTH OCFR22	32010-002562			
QFLEX 1.50M IC0.75MTH OCFR22	32010-002563			
QFLEX 1.80M IC0.75MTH OCFR22	32010-002564	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Fast ring 22 w/ring
QFLEX 0.60M IC0.75MTH OCTL22	32010-002580			
QFLEX 1.00M IC0.75MTH OCTL22	32010-002581			
QFLEX 1.20M IC0.75MTH OCTL22	32010-002582			
QFLEX 1.50M IC0.75MTH OCTL22	32010-002583			
QFLEX 1.80M IC0.75MTH OCTL22	32010-002584	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Twist lock 22

*The illustrations are illustrative only. Not shown on a scale or in real colors.

Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M IC0.75MTH OCWITI	32010-002600			
QFLEX 1.00M IC0.75MTH OCWITI	32010-002601			
QFLEX 1.20M IC0.75MTH OCWITI	32010-002602			
QFLEX 1.50M IC0.75MTH OCWITI	32010-002603			
QFLEX 1.80M IC0.75MTH OCWITI	32010-002604	Male threaded connector 3/4"	Corrugated pipe + 1 assembled sleeve	Wire tie
QFLEX 0.60M ICPVC OCFR22	32010-002610			
QFLEX 1.00M ICPVC OCFR22	32010-002611			
QFLEX 1.20M ICPVC OCFR22	32010-002612			
QFLEX 1.50M ICPVC OCFR22	32010-002613			
QFLEX 1.80M ICPVC OCFR22	32010-002614	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Fast ring 22 w/ring
QFLEX 0.60M ICPVC OCTL22	32010-002620			
QFLEX 1.00M ICPVC OCTL22	32010-002621			
QFLEX 1.20M ICPVC OCTL22	32010-002622			
QFLEX 1.50M ICPVC OCTL22	32010-002623			
QFLEX 1.80M ICPVC OCTL22	32010-002624	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Twist lock 22
QFLEX 0.60M ICPVC OCWITI	32010-002630			
QFLEX 1.00M ICPVC OCWITI	32010-002631			
QFLEX 1.20M ICPVC OCWITI	32010-002632			
QFLEX 1.50M ICPVC OCWITI	32010-002633			
QFLEX 1.80M ICPVC OCWITI	32010-002634	PVC start connector w/seal MT	Corrugated pipe + 1 assembled sleeve	Wire tie
QFLEX 0.60M IC0.5MTH OCBA16	32010-002640			
QFLEX 1.00M IC0.5MTH OCBA16	32010-002641			
QFLEX 1.20M IC0.5MTH OCBA16	32010-002642			
QFLEX 1.50M IC0.5MTH OCBA16	32010-002643			
QFLEX 1.80M IC0.5MTH OCBA16	32010-002644	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Barb 16 mm

*The illustrations are illustrative only. Not shown on a scale or in real colors.

Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M IC0.5MTH OCBA17	32010-002650			
QFLEX 1.00M IC0.5MTH OCBA17	32010-002651			
QFLEX 1.20M IC0.5MTH OCBA17	32010-002652			
QFLEX 1.50M IC0.5MTH OCBA17	32010-002653			
QFLEX 1.80M IC0.5MTH OCBA17	32010-002654	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Barb 17 mm
QFLEX 0.60M IC0.5MTH OCBA20	32010-002660			
QFLEX 1.00M IC0.5MTH OCBA20	32010-002661			
QFLEX 1.20M IC0.5MTH OCBA20	32010-002662			
QFLEX 1.50M IC0.5MTH OCBA20	32010-002663			
QFLEX 1.80M IC0.5MTH OCBA20	32010-002664	Male threaded connector 1/2"	Corrugated pipe + 2 assembled sleeves	Barb 20 mm
QFLEX 0.60M IC0.75MTH OCBA16	32010-002670			
QFLEX 1.00M IC0.75MTH OCBA16	32010-002671			
QFLEX 1.20M IC0.75MTH OCBA16	32010-002672			
QFLEX 1.50M IC0.75MTH OCBA16	32010-002673			
QFLEX 1.80M IC0.75MTH OCBA16	32010-002674	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Barb 16 mm
QFLEX 0.60M IC0.75MTH OCBA17	32010-002680			
QFLEX 1.00M IC0.75MTH OCBA17	32010-002681			
QFLEX 1.20M IC0.75MTH OCBA17	32010-002682			
QFLEX 1.50M IC0.75MTH OCBA17	32010-002683			
QFLEX 1.80M IC0.75MTH OCBA17	32010-002684	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Barb 17 mm
QFLEX 0.60M IC0.75MTH OCBA20	32010-002690			
QFLEX 1.00M IC0.75MTH OCBA20	32010-002691			
QFLEX 1.20M IC0.75MTH OCBA20	32010-002692			
QFLEX 1.50M IC0.75MTH OCBA20	32010-002693			
QFLEX 1.80M IC0.75MTH OCBA20	32010-002694	Male threaded connector 3/4"	Corrugated pipe + 2 assembled sleeves	Barb 20 mm

*The illustrations are illustrative only. Not shown on a scale or in real colors.

Q-FLEX™ PRODUCTS

NETAFIM DESCRIPTION	NETAFIM SAP CATALOG NUMBER	INLET CONNECTOR	CORRUGATED PIPE + 2 ASSEMBLED SLEEVES	OUTLET CONNECTOR
QFLEX 0.60M ICPVC OCBA16	32010-002700			
QFLEX 1.00M ICPVC OCBA16	32010-002701			
QFLEX 1.20M ICPVC OCBA16	32010-002702			
QFLEX 1.50M ICPVC OCBA16	32010-002703			
QFLEX 1.80M ICPVC OCBA16	32010-002704	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Barb 16 mm
QFLEX 0.60M ICPVC OCBA17	32010-002710			
QFLEX 1.00M ICPVC OCBA17	32010-002711			
QFLEX 1.20M ICPVC OCBA17	32010-002712			
QFLEX 1.50M ICPVC OCBA17	32010-002713			
QFLEX 1.80M ICPVC OCBA17	32010-002714	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Barb 17 mm
QFLEX 0.60M ICPVC OCBA20	32010-002720			
QFLEX 1.00M ICPVC OCBA20	32010-002721			
QFLEX 1.20M ICPVC OCBA20	32010-002722			
QFLEX 1.50M ICPVC OCBA20	32010-002723			
QFLEX 1.80M ICPVC OCBA20	32010-002724	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Barb 20 mm
QFLEX 0.60M IC0.5MTH OCFR16BL	32010-002730			
QFLEX 1.00M IC0.5MTH OCFR16BL	32010-002731			
QFLEX 1.20M IC0.5MTH OCFR16BL	32010-002732			
QFLEX 1.50M IC0.5MTH OCFR16BL	32010-002733			
QFLEX 1.80M IC0.5MTH OCFR16BL	32010-002734	Male threaded connector "1/2"	Corrugated pipe + 2 assembled sleeves	Fast ring 16 mm
QFLEX 0.60M ICPVC OCFR16BL	32010-002740			
QFLEX 1.00M ICPVC OCFR16BL	32010-002741			
QFLEX 1.20M ICPVC OCFR16BL	32010-002742			
QFLEX 1.50M ICPVC OCFR16BL	32010-002743			
QFLEX 1.80M ICPVC OCFR16BL	32010-002744	PVC start connector w/seal MT	Corrugated pipe + 2 assembled sleeves	Fast ring 16 mm

*The illustrations are illustrative only. Not shown on a scale or in real colors.